




FIG. 1

1/15



09782748-060704

FIG. 3




FIG. 4





FIG. 5

4/15

FIG. 6

FIG. 6 is a perspective view of a mechanical assembly. The assembly includes a central shaft (50) with a gear (56) and a pulley (58). A bracket (34) is mounted on the shaft, with a pin (66) and a spring (76) attached. A rod (53) is connected to the bracket. A nut (70) is on the end of the shaft. A pin (74) is also shown. The assembly is mounted on a base (51). Various other components are labeled with numbers 34, 50, 53, 56, 57, 58, 60, 61, 62, 62a, 67, 68, 70, 74, 76, and H.




FIG. 8

5/15




FIG. 10




FIG. 11

09782718-060701




FIG. 12

FIG. 13





FIG. 14





FIG. 16



9/15




FIG. 17




FIG. 18

FIG. 19





FIG. 20

09782748-060704

10/13




FIG. 21




Fig. 22

09782748-060701

12/15




FIG. 23

A circular diagram showing the distribution of 1000 respondents by age group. The circle is divided into segments representing different age ranges: 18-24, 25-34, 35-44, 45-54, 55-64, 65-74, 75-84, and 85+. The segments are labeled with their respective percentages of the total respondents.



116 24

[illegible]

14/15

95

93

09782718-060701




FIG. 25

15/15

93

09782718-060704




FIG. 26

